

FIG. 1




FIG. 2




FIG. 4

	length	ck	msb						lsb
Opcode	1	√	STREAM FORMAT SUPPORT(2F <sub>16</sub> )						
Operand[0]	1	√	subfunction						
Operand[1]	1	√	plug						
Operand[2]	1	√	FF <sub>16</sub>						
Operand[3]	6	—	format_information[0]						
Operand[4]									
Operand[5]									
Operand[6]									
Operand[7]									
Operand[8]	6	—	format_information[1]						
Operand[9]									
Operand[10]									
Operand[11]									
Operand[12]									
Operand[13]	6	—	format_information[2]						
Operand[14]									
Operand[15]									
Operand[16]									
Operand[17]									
Operand[18]	6	—							
Operand[19]									
Operand[20]									
Operand[21]									
Operand[22]									

FIG. 5




FIG. 6





FIG. 7



	msb							lsb
Opcode	INPUT_SELECT (1B <sub>16</sub> )							
Operand[0]	subfunction							
Operand[1]	reserved				FF <sub>16</sub>			
Operand[2]	node_ID							
Operand[3]								
Operand[4]	output_plug							
Operand[5]	input_plug							
Operand[6]	signal_destination							
Operand[7]								
Operand[8]	reserved							






FIG. 11

	msb						lsb
Opcode	SIGNAL SOURCE (1A <sub>16</sub> )						
Operand[0]	FF <sub>16</sub>						
Operand[1]	FF <sub>16</sub>						
Operand[2]	FF <sub>16</sub>						
Operand[3]	signal_destination						
Operand[4]							

FIG.12




FIG.13

